# Complete Summary

#### TITLE

Preventive services for children and adolescents: percentage of patients who are up-to-date with recommended immunizations.

# SOURCE(S)

Institute for Clinical Systems Improvement (ICSI). Preventive services for children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Oct. 68 p. [109 references]

#### Measure Domain

#### PRIMARY MEASURE DOMAIN

#### **Process**

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the <u>Measure Validity</u> page.

## SECONDARY MEASURE DOMAIN

Does not apply to this measure

#### **Brief Abstract**

## **DESCRIPTION**

This measure is used to assess the percentage of patients who are up-to-date with recommended immunizations.

# **RATIONALE**

The priority aim addressed by this measure is to increase the percentage of patients who are up-to-date with recommended immunizations.

## PRIMARY CLINICAL COMPONENT

Preventive services; immunizations

#### DENOMINATOR DESCRIPTION

Total number of patients who present in the clinic for a non-emergent primary care visit

Note: Some medical groups may choose to calculate a measurement on the entire clinic population.

#### NUMERATOR DESCRIPTION

Number of patients up-to-date with recommended immunizations (see the related "Numerator Inclusions/Exclusions" field in the Complete Summary)

## **Evidence Supporting the Measure**

## EVIDENCE SUPPORTING THE CRITERION OF QUALITY

 A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence

#### NATIONAL GUIDELINE CLEARINGHOUSE LINK

Preventive services for children and adolescents.

## **Evidence Supporting Need for the Measure**

## NEED FOR THE MEASURE

Unspecified

#### State of Use of the Measure

STATE OF USE

Current routine use

**CURRENT USE** 

Internal quality improvement

#### Application of Measure in its Current Use

CARE SETTING

Physician Group Practices/Clinics

PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Physicians

LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Group Clinical Practices
TARGET POPULATION AGE
Age less than or equal to 18 years
Note: Medical groups may choose to specify age parameters to simplify measurement.
TARGET POPULATION GENDER
Either male or female
STRATIFICATION BY VULNERABLE POPULATIONS
Unspecified
Characteristics of the Primary Clinical Component
INCIDENCE/PREVALENCE
Unspecified
ASSOCIATION WITH VULNERABLE POPULATIONS
Unspecified
BURDEN OF ILLNESS
Unspecified
UTILIZATION
Unspecified
COSTS
Unspecified
Institute of Medicine National Healthcare Quality Report Categories

IOM CARE NEED

Staying Healthy

IOM DOMAIN

Effectiveness

# Data Collection for the Measure

## CASE FINDING

Users of care only

## DESCRIPTION OF CASE FINDING

Total number of patients who present in the clinic for a non-emergent primary care visit. Medical groups may choose to specify age parameters to simplify measurement.

Patients who have had an office visit of any kind within the preceding month can be randomly sampled to produce a sample of at least 20 records for review. Selected records are audited using the checklist tool (found in the original measure documentation) to determine a patient's status on each of the immunizations listed.

Data can be collected monthly.

#### DENOMINATOR SAMPLING FRAME

Patients associated with provider

## DENOMINATOR INCLUSIONS/EXCLUSIONS

#### Inclusions

Total number of patients who present in the clinic for a non-emergent primary care visit

Note: Some medical groups may choose to calculate a measurement on the entire clinic population.

Exclusions Unspecified

# DENOMINATOR (INDEX) EVENT

Encounter

## DENOMINATOR TIME WINDOW

Time window is a single point in time

# NUMERATOR INCLUSIONS/EXCLUSIONS

# Inclusions

Number of patients up-to-date with recommended immunizations\*

<sup>\*</sup>A patient must be up-to-date on all applicable immunizations to meet the criteria. For an immunization to be counted as administered, it should be documented with a date of service. If the

medical record documents that the service was offered to the patient and the patient declined the service, it should be counted as a "yes" to the criteria. Refer to the related National Guideline Clearinghouse (NGC) summary of the Institute for Clinical Systems Improvement (ICSI) guideline <a href="Preventive Services for Children and Adolescents">Preventive Services for Children and Adolescents</a> for recommended immunizations.

Exclusions Unspecified

NUMERATOR TIME WINDOW

Encounter or point in time

DATA SOURCE

Medical record

LEVEL OF DETERMINATION OF QUALITY

Individual Case

PRE-EXISTING INSTRUMENT USED

Unspecified

## Computation of the Measure

**SCORING** 

Rate

INTERPRETATION OF SCORE

Better quality is associated with a higher score

ALLOWANCE FOR PATIENT FACTORS

Unspecified

STANDARD OF COMPARISON

Internal time comparison

#### **Evaluation of Measure Properties**

EXTENT OF MEASURE TESTING

Unspecified

# Identifying Information

## ORIGINAL TITLE

Increase the percentage of patients who are up-to-date with recommended immunizations.

#### MEASURE COLLECTION

Preventive Services for Children and Adolescents Measures

## DEVELOPER

Institute for Clinical Systems Improvement

## **ADAPTATION**

Measure was not adapted from another source.

## RELEASE DATE

2003 Sep

#### REVISION DATE

2005 Oct

# **MEASURE STATUS**

This is the current release of the measure.

This measure updates a previous version: Institute for Clinical Systems Improvement (ICSI). Preventive services for children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2004 Sep. 33 p.

# SOURCE(S)

Institute for Clinical Systems Improvement (ICSI). Preventive services for children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Oct. 68 p. [109 references]

# MEASURE AVAILABILITY

The individual measure, "Increase the percentage of patients who are up-to-date with recommended immunizations," is published in "Health Care Guideline: Preventive Services for Children and Adolescents." This document is available from the Institute for Clinical Systems Improvement (ICSI) Web site.

For more information, contact ICSI at, 8009 34th Avenue South, Suite 1200, Bloomington, MN 55425; phone: 952-814-7060; fax: 952-858-9675; Web site: www.icsi.org; e-mail: icsi.info@icsi.org.

#### NQMC STATUS

This NQMC summary was completed by ECRI on March 29, 2004. This NQMC summary was updated by ECRI on November 11, 2004 and again on December 27, 2005.

## COPYRIGHT STATEMENT

This NQMC summary (abstracted Institute for Clinical Systems Improvement [ICSI] Measure) is based on the original measure, which is subject to the measure developer's copyright restrictions.

The abstracted ICSI Measures contained in this Web site may be downloaded by any individual or organization. If the abstracted ICSI Measures are downloaded by an individual, the individual may not distribute copies to third parties.

If the abstracted ICSI Measures are downloaded by an organization, copies may be distributed to the organization's employees but may not be distributed outside of the organization without the prior written consent of the Institute for Clinical Systems Improvement, Inc.

All other copyright rights in the abstracted ICSI Measures are reserved by the Institute for Clinical Systems Improvement, Inc. The Institute for Clinical Systems Improvement, Inc. assumes no liability for any adaptations or revisions or modifications made to the abstracts of the ICSI Measures.

© 2006 National Quality Measures Clearinghouse

Date Modified: 9/25/2006

FIRSTGOV

